

Bedford High School

2019 Youth Risk Behavior Survey Report

Time Trends by Sex and by Grade

Greater Manchester Public Health Region

Introduction

The 2019 Youth Risk Behavior Survey (YRBS) report presents data which demonstrate the association between health-risk behaviors by sex and grade. We hope this report is useful in understanding high school student behaviors and assists you in developing educational programs, curriculum and communication tools to encourage and support healthy behaviors among students in your communities.

School-level Estimates

The 2019 survey response rate at Bedford High School was 89%, meaning 1,355 of 1,525 enrolled students took the survey¹. School-level estimates are unweighted and based on a convenience sample of students in attendance and not opting out of participation in the YRBS on a given date and time during the school year. Results could be less representative if specific classrooms or classroom types were not included in the survey. To account for this and provide risk-behavior estimates for the entire school, we extrapolated survey results using school enrollment data.


State and Regional Estimates

State and regional estimates were calculated from a random sample developed using scientific survey methods. These methods ensure the respondents are representative of students in the region in the state. The results account for student, classroom, school, and regional factors. The random sample is not designed to provide school-level estimates. Note: access to region-level results were first made available in 2015 and are not available prior to that year.

Data that had a representative sample of students, appropriate documentation, and an overall response rate greater than or equal to 60%² were weighted.

This report is produced in a partnership with the NH Department of Education and the NH Department of Health and Human Services.

Responses by Sex and Grade*



*Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

¹Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

²Overall response rate is computed as (number of participating schools/number of eligible sampled schools) X (number of usable questionnaires/number of eligible students sampled in participating schools), rounded to the nearest integer.

Regional Public Health Network Substance Misuse Prevention Coordinators are available to assist schools in coordinating community projects that promote healthy behaviors and educate school officials and stakeholders. Coordinators may also assist schools in obtaining school and community grant funding.

Your contact is:

Greater Manchester Public Health Region: Mary Forsythe-Taber;
Phone: 888-573-8860; email: mft@mih4u.org

Help and assistance

Questions on this report

Health Statistics and Data Management
Division of Public Health Services - State of NH
NH.YouthRiskBehaviorSurvey@dhhs.nh.gov; (603) 271-4988;

Additional technical assistance for YRBS related information

NH Center for Excellence
nhcenterforexcellence@jsi.com; (603) 573-3300
<http://nhcenterforexcellence.org/center-services/request-ta/>

Notes

You may find very small discrepancies between the 2017 estimates reported in this report and the results reported two years ago. The differences are caused by an improved data cleaning routine in the new survey. The results from this 2019 analysis and reports should be used if you find any discrepancies.

Change Log

v1.0: Final report released February 14th, 2020.

Category: Drug Use - Behaviors

Number and Percent of students who tried marijuana for the first time before age 13 years

School

2.3%

34 of 1,500 students*

Region





5.0%

330 of 6,539 students+

NH

4.7%

2,548 of 54,393 students+


**How the question was actually asked:** How old were you when you tried marijuana for the first time?

a: I have never tried marijuana; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;

Numerator: bcd; denominator: abcdefg;

Question number: 2019q44; 2017q44; 2015q42; 2013q46; 2011q40;

School*		Region		NH	
#	%	#	%	#	%

Year	School*	Region	NH			
2011	71	5.6	-	-	4,775	7.7
2013	38	2.9	-	-	3,858	6.6
2015	70	4.8	460	6.4	3,511	6.1
2017	75	5.0	431	6.4	2,929	5.3
2019	34	2.3	330	5.0	2,548	4.7

Sex

Sex	School*	Region	NH			
Female	13	1.7	118	3.8	876	3.4
Male	16	2.1	197	5.9	1,596	5.7

Grade

Grade	School*	Region	NH			
9th	s	s	97	5.5	810	5.7
10th	8	2.0	101	5.8	591	4.3
11th	7	1.9	62	3.9	570	4.4
12th	8	2.4	33	2.4	450	3.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Drug Use - Behaviors

Number and Percent of students who currently used marijuana (one or more times) during the past 30 days

School

20.9%

319 of 1,501 students*

Region

21.4%



1,399 of 6,539 students+s

NH

26.1%

14,167 of 54,358 students+s

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, how many times did you use marijuana?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q45; 2017q45; 2015q43; 2013q47; 2011q41;

Category: Drug Use - Behaviors

Number and Percent of students who ever used synthetic marijuana (also called called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk) one or more times during their life

School

7.0%

107 of 1,466 students*

Region

8.3%




550 of 6,591 students+

NH

8.6%

4,604 of 53,723 students+

■ School ● Region ▲ NH



How the question was actually asked: During your life, how many times have you used synthetic marijuana (also called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdefg;

Question number: 2019q46; 2017q49; 2015q50; 2013q48; 2011q999;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

Category: Drug Use - Behaviors

Number and Percent of students who ever used heroin (also called smack, junk, or China White) one or more times during their life

School

2.1%

33 of 1,468 students*

Region

1.9%




124 of 6,596 students+

NH

1.5%

801 of 54,649 students+

■ School ● Region ▲ NH



How the question was actually asked: During your life, how many times have you used heroin (also called smack, junk, or China White)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q47; 2017q46; 2015q47; 2013q51; 2011q50;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*	Region	NH	#	%	#	%
2011	54	4.2	-	-	2,216	3.6	
2013	25	1.9	-	-	1,590	2.7	
2015	57	3.9	232	3.2	1,387	2.4	
2017	79	5.3	182	2.7	999	1.8	
2019	33	2.1	124	1.9	801	1.5	

Sex

Female	11	1.4	45	1.4	184	0.7
Male	16	2.2	64	1.9	569	2.0

Grade

09th	6	1.4	20	1.1	150	1.1
10th	8	2.0	16	0.9	154	1.1
11th	s	s	49	3.1	197	1.5
12th	7	2.3	8	0.5	199	1.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Drug Use - Behaviors

Number and Percent of students who ever used methamphetamines (also called speed, crystal meth, crank, ice, or meth) one or more times during their life

School

2.6%

40 of 1,466 students*

Region

1.9%




123 of 6,592 students+

NH

1.7%

954 of 54,627 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q48; 2017q47; 2015q48; 2013q52; 2011q51;

Category: Drug Use - Behaviors

Number and Percent of students who ever used ecstasy (also called MDMA) one or more times during their life

School

3.1%

47 of 1,469 students*

Region

3.2%




209 of 6,576 students+

NH

2.4%

1,308 of 53,861 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During your life, how many times have you used ecstasy (also called MDMA)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q49; 2017q48; 2015q49; 2013q53; 2011q52;

Category: Drug Use - Behaviors

Number and Percent of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) one or more times during their life

School

8.2%
125 of 1,509 students*




Region

8.9%
584 of 6,547 students+

NH

10.0%
5,364 of 53,449 students+

■ School ■ Region ■ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q50; 2017q50; 2015q51; 2013q54; 2011q45;

Category: Drug Use - Behaviors

Number and Percent of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times) during the past 30 days

School




4.2%
64 of 1,508 students*

Region

3.8%
251 of 6,538 students+

NH

4.3%
2,288 of 53,407 students+



How the question was actually asked: During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q51; 2017q51; 2015q52; 2013q55; 2011q46;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Drug Use - Behaviors

Number and Percent of students who were offered, sold, or given an illegal drug on school property during the past 12 months

School

16.1%

246 of 1,506 students*

Region

16.0%



1,052 of 6,561 students+

NH

20.3%

11,070 of 54,531 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q52; 2017q52; 2015q53; 2013q56; 2011q54;

Category: Drug Use - Perceptions

Number and Percent of students who recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs during the past 12 months

School

80.6%

1,229 of 1,506 students*

Region




65.5%

4,289 of 6,551 students+s

NH

70.2%

37,778 of 53,788 students+s


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, do you recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q53; 2017q53; 2015q78; 2013q99; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they use marijuana once or twice a week

School

15.3%

233 of 1,481 students*

Region

11.9%




757 of 6,349 students+

NH

10.3%

5,440 of 52,767 students+

■ School ● Region ▲ NH



How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they use marijuana once or twice a week?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 2019q89; 2017q86; 2015q85; 2013q83; 2011q999;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

62.2%

949 of 1,480 students*

Region




53.7%

3,401 of 6,335 students+

NH

56.7%

29,879 of 52,672 students+

	School*	Region	NH			
	#	%	#	%	#	%

Year

2011	818	64.1	-	-	37,816	60.9
2013	850	64.0	-	-	36,841	63.0
2015	894	60.9	4,221	58.9	35,154	62.8
2017	1,047	70.1	4,009	61.6	33,668	63.2
2019	949	62.2	3,401	53.7	29,879	56.7

Sex

Female	493	65.9	1,729	56.6	15,534	61.5
Male	446	58.6	1,640	51.1	14,027	52.3

Grade

09th	233	56.0	704	41.7	7,016	51.4
10th	232	58.0	887	53.7	7,386	55.4
11th	246	67.5	934	60.7	7,473	59.0
12th	231	69.8	825	60.9	7,693	62.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 2019q90; 2017q87; 2015q86; 2013q84; 2011q85;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke marijuana

School

49.5%

755 of 1,484 students*

Region

43.0%




2,737 of 6,371 students+

NH

37.7%

19,939 of 52,823 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q92; 2017q90; 2015q89; 2013q87; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School




87.9%
1,340 of 1,486 students*

Region

83.8%
5,326 of 6,359 students+

NH

83.6%
44,144 of 52,797 students+

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q93; 2017q91; 2015q90; 2013q88; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to smoke marijuana

School

86.5%

1,319 of 1,488 students*

Region

80.2%



5,105 of 6,366 students+

NH

78.5%

41,521 of 52,885 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q96; 2017q94; 2015q93; 2013q91; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

96.3%

1,469 of 1,489 students*

Region




92.4%

5,882 of 6,365 students+

NH

95.5%

50,492 of 52,881 students+



How the question was actually asked: How wrong do your parents feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q97; 2017q95; 2015q94; 2013q92; 2011q95;

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	1,208	94.6	-	-	57,568	93.3
2013	1,272	95.8	-	-	55,041	94.1
2015	1,378	93.9	6,649	93.2	53,132	94.9
2017	1,379	92.3	6,034	92.3	50,208	94.2
2019	1,469	96.3	5,882	92.4	50,492	95.5

Sex

Female	731	97.5	2,880	93.4	24,544	96.8
Male	727	95.6	2,953	91.9	25,452	94.5

Grade

09th	399	95.3	1,562	91.6	13,101	95.3
10th	390	97.4	1,530	92.2	12,801	95.7
11th	348	96.5	1,449	94.1	12,197	95.9
12th	322	97.2	1,279	93.9	11,883	95.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some marijuana if they wanted to

School

26.9%

410 of 1,481 students*

Region

37.5%




2,373 of 6,329 students+s

NH

39.0%

20,510 of 52,654 students+s

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: If you wanted to get some marijuana, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 2019q99; 2017q98; 2015q98; 2013q96; 2011q98;

Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some prescription drug without a doctor's prescription if they wanted to (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

7.1%
108 of 1,482 students*




Region

10.7%
679 of 6,348 students+

NH

10.0%
5,265 of 52,573 students+

■ School ■ Region ■ NH



	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	249	19.5	-	-	11,770	19.2
2013	122	9.2	-	-	9,899	17.1
2015	166	11.3	1,021	14.4	8,164	14.7
2017	158	10.6	895	13.9	7,141	13.5
2019	108	7.1	679	10.7	5,265	10.0

Sex

Female	45	6.0	278	9.2	2,181	8.7
Male	58	7.6	372	11.4	2,987	11.1

Grade

09th	34	8.0	180	10.6	1,227	9.0
10th	22	5.5	152	9.1	1,200	9.0
11th	24	6.7	196	12.7	1,362	10.7
12th	23	7.0	104	7.8	1,343	10.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: If you wanted to get a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 2019q100; 2017q99; 2015q99; 2013q98; 2011q99;

Category: Alcohol Use - Behaviors

Number and Percent of students who drove a car or other vehicle when they had been drinking alcohol (one or more times, among students who had driven a car or other vehicle) during the past 30 days

School

4.5%

46 of 949 students*

Region

5.5%




205 of 3,707 students+

NH

4.7%

1,586 of 33,581 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q13; 2017q13; 2015q13; 2013q13; 2011q999;

Category: Alcohol Use - Behaviors

Number and Percent of students who had their first drink of alcohol before age 13 years (other than a few sips)

School

7.8%

118 of 1,480 students*

Region

9.5%




611 of 6,413 students+

NH

10.4%

5,601 of 53,820 students+

■ School ● Region ▲ NH



How the question was actually asked: How old were you when you had your first drink of alcohol other than a few sips?

a: I have never had a drink of alcohol other than a few sips; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;

Numerator: bcd; denominator: abcdefg;

Question number: 2019q40; 2017q40; 2015q38; 2013q40; 2011q34;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Alcohol Use - Behaviors

Number and Percent of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day) during the past 30 days

School

26.7%

408 of 1,448 students*

Region

22.1%




1,393 of 6,292 students+

NH

26.8%

14,083 of 52,478 students+

■ School ● Region ▲ NH



How the question was actually asked: During the past 30 days, on how many days did you have at least one drink of alcohol?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 2019q41; 2017q41; 2015q39; 2013q41; 2011q35;

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	373	29.2	-	-	22,551	38.4
2013	361	27.1	-	-	18,043	32.9
2015	459	31.3	1,950	27.8	16,562	29.9
2017	418	28.0	1,774	27.3	15,841	29.6
2019	408	26.7	1,393	22.1	14,083	26.8

Sex

Female	212	28.3	713	23.9	7,247	29.0
Male	190	25.0	665	20.5	6,644	24.7

Grade

09th	46	10.9	200	11.7	2,125	15.4
10th	84	20.8	296	18.0	3,043	23.0
11th	120	33.4	420	27.6	3,835	30.4
12th	149	46.5	428	32.8	4,815	39.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Alcohol Use - Behaviors

Number and Percent of students who currently were binge drinking (had 4 or more drinks of alcohol in a row for female students or 5 or more drinks of alcohol in a row for male students, on at least 1 day) during the past 30 days

School

13.8%

210 of 1,486 students*

Region




12.0%

784 of 6,523 students+

NH

14.4%

7,813 of 54,080 students+

How the question was actually asked: During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?

a: 0 days; b: 1 day; c: 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 or more days;

Numerator: BCDEFG; denominator: ABCDEFG;

Question number: 2019q42; 2017q999; 2015q999; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	210	13.8	784	12.0	7,813	14.4

Sex

Female	113	15.1	408	13.2	3,844	14.8
Male	91	12.0	360	10.8	3,819	13.8

Grade

09th	13	3.0	82	4.7	938	6.6
10th	40	10.0	148	8.6	1,434	10.4
11th	58	15.9	230	14.5	2,185	16.8
12th	92	28.6	280	20.7	3,065	24.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Alcohol Use - Behaviors

Number and Percent of students who usually got the alcohol they drank by someone giving it to them (among students who currently drank alcohol) during the past 30 days

School

39.9%

162 of 384 students*

Region

35.8%




483 of 1,349 students+

NH

35.9%

4,795 of 13,354 students+

■ School ● Region ▲ NH



How the question was actually asked: During the past 30 days, how did you usually get the alcohol you drank?

a: I did not drink alcohol during the past 30 days; b: I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station; c: I bought it at a restaurant, bar, or club; d: I bought it at a public event such as a concert or sporting event; e: I gave someone else money to buy it for me; f: Someone gave it to me; g: I took it from a store or family member; h: I got it some other way;

Numerator: f; denominator: bcdefgh;

Question number: 2019q43; 2017q43; 2015q41; 2013q44; 2011q37;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Alcohol Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they have five or more drinks of alcohol once or twice a week (beer, wine, or liquor)

School

33.9%

516 of 1,486 students*

Region

29.1%



1,849 of 6,364 students+

NH

27.3%

14,401 of 52,781 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 2019q88; 2017q85; 2015q84; 2013q82; 2011q999;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine, or liquor)

School

75.3%

1,149 of 1,487 students*

Region

68.9%




4,378 of 6,353 students+s

NH

65.4%

34,538 of 52,808 students+s

■ School ● Region ▲ NH



	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	-	-	-	-	-	-
2013	878	66.1	-	-	31,119	53.3
2015	879	59.8	4,083	56.9	31,928	57.1
2017	1,027	68.8	4,008	61.5	30,264	56.7
2019	1,149	75.3	4,378	68.9	34,538	65.4

Sex

Female	605	80.6	2,258	73.4	18,238	72.0
Male	536	70.5	2,082	64.9	15,979	59.4

Grade

09th	334	79.6	1,183	69.3	9,375	68.3
10th	297	74.1	1,129	68.0	8,868	66.5
11th	270	74.8	1,081	70.7	8,213	64.8
12th	240	72.7	937	68.8	7,747	62.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q91; 2017q89; 2015q88; 2013q86; 2011q999;

Category: Alcohol Use - Perceptions

Number and Percent of students who approve or strongly approve of someone their age having one or two drinks of alcohol nearly every day (beer, wine, or liquor)

School

4.1%

62 of 1,484 students*

Region

6.0%




382 of 6,342 students+

NH

5.0%

2,658 of 52,809 students+

■ School ● Region ▲ NH



How the question was actually asked: How do you feel about someone your age having one or two drinks of alcohol (beer, wine, or liquor) nearly every day?

a: Strongly approve; b: Approve; c: Neither approve nor disapprove; d: Disapprove; e: Strongly disapprove;

Numerator: ab; denominator: abcde;

Question number: 2019q94; 2017q92; 2015q95; 2013q93; 2011q999;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine or liquor)

School

91.3%

1,392 of 1,482 students*

Region




90.0%

5,718 of 6,353 students+s

NH

90.9%

48,037 of 52,824 students+s

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	-	-	-	-	-	-
2013	1,212	91.2	-	-	51,812	88.7
2015	1,285	87.5	6,259	87.8	50,109	89.3
2017	1,293	86.5	5,789	88.6	47,508	89.1
2019	1,392	91.3	5,718	90.0	48,037	90.9

Sex

Female	701	93.5	2,827	91.9	23,548	93.0
Male	681	89.5	2,842	88.6	24,029	89.3

Grade

09th	387	92.3	1,525	89.7	12,590	91.7
10th	371	92.5	1,495	90.1	12,356	92.5
11th	336	92.4	1,397	91.0	11,625	91.4
12th	289	88.3	1,246	91.6	10,990	88.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q95; 2017q93; 2015q92; 2013q90; 2011q999;

Category: Alcohol Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some alcohol if they wanted to (beer, wine, or liquor)

School

33.5%

510 of 1,487 students*

Region

33.1%




2,103 of 6,349 students+

NH

31.6%

16,631 of 52,687 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: If you wanted to get some alcohol (beer, wine, or liquor) how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 2019q98; 2017q97; 2015q97; 2013q95; 2011q97;

Category: Sexual and Dating Violence

Number and Percent of students who were ever physically forced to have sexual intercourse when they did not want to

School

4.5%

68 of 1,513 students*

Region

5.9%




388 of 6,574 students+

NH

6.7%

3,618 of 53,715 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Have you ever been physically forced to have sexual intercourse when you did not want to?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q20; 2017q20; 2015q18; 2013q18; 2011q20;

Category: Sexual and Dating Violence

Number and Percent of students who experienced sexual violence (being forced by anyone to do sexual things that they did not want to, one or more times) during the past 12 months

School

9.4%

143 of 1,488 students*

Region

10.6%




682 of 6,464 students+

NH

10.1%

5,309 of 52,695 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q21; 2017q21; 2015q999; 2013q999; 2011q999;

Category: Sexual and Dating Violence

Number and Percent of students who experienced sexual dating violence (one or more times, among students who dated or went out with someone during the past 12 months)

School

8.0%

63 of 764 students*

Region

8.8%




331 of 3,749 students+

NH

7.8%

2,612 of 33,485 students+

■ School ● Region ▲ NH



How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q22; 2017q22; 2015q19; 2013q20; 2011q999;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Sexual and Dating Violence

Number and Percent of students who experienced physical dating violence (one or more times, among students who dated or went out with someone) during the past 12 months

School

6.6%

53 of 790 students*

Region

8.1%




315 of 3,887 students+

NH

7.0%

2,443 of 35,022 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q23; 2017q23; 2015q21; 2013q19; 2011q999;

Category: Sexual and Dating Violence

Number and Percent of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (among students who dated or went out with someone) during the past 12 months

School

24.0%
197 of 806 students*




Region

25.9%
1,004 of 3,872 students+

NH

26.5%
9,333 of 35,165 students+

■ School ■ Region ■ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? (Count such things as being told who you could and could not spend time with, being humiliated in front of others, or being threatened if you did not do what they wanted.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q24; 2017q24; 2015q999; 2013q999; 2011q999;

Category: Sexual and Dating Violence

Number and Percent of students who have experienced an unwanted sexual advance because of another student's drinking (one or more times) during the past 12 months

School

6.5%

100 of 1,500 students*

Region

4.7%




310 of 6,570 students+

NH

4.9%

2,614 of 53,604 students+

■ School ● Region ▲ NH



How the question was actually asked: During the past 12 months, how many times have you experienced an unwanted sexual advance because of another student's drinking?

a: I did not experience an unwanted sexual advance during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: abcdef;

Question number: 2019q25; 2017q999; 2015q20; 2013q21; 2011q999;

School* **Region** **NH**

% # % # %

Year

	School*	Region	NH				
Year	#	%	#	%	#	%	
2011	-	-	-	-	-	-	-
2013	75	5.6	-	-	3,982	6.8	
2015	118	8.0	428	5.9	3,131	5.5	
2017	-	-	-	-	-	-	-
2019	100	6.5	310	4.7	2,614	4.9	

Sex

Female	64	8.5	196	6.3	1,677	6.6
Male	33	4.4	105	3.1	863	3.1

Grade

9th	11	2.7	44	2.5	337	2.4
10th	24	6.0	60	3.5	500	3.7
11th	25	7.0	95	5.9	726	5.6
12th	34	10.5	81	5.9	950	7.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Sexual and Dating Violence

Number and Percent of students who forced someone they were dating or going out with to do sexual things that they did not want to do (among students who dated or went out with someone) during the past 12 months

School

1.8%
15 of 802 students*




Region

2.0%
79 of 3,877 students+

NH

1.5%
536 of 34,706 students+

■ School ■ Region ■ NH



How the question was actually asked: During the past 12 months, did you ever force someone you were dating or going out with to do sexual things that they did not want to do? (Count such things as kissing, touching, or physically forcing them to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: bc;

Question number: 2019q26; 2017q25; 2015q999; 2013q999; 2011q999;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Sexual Risk - Behaviors

Number and Percent of students who ever had sexual intercourse

School

25.6%

390 of 1,443 students*

Region




35.2%

2,182 of 6,198 students+

NH

39.8%

20,575 of 51,689 students+


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Have you ever had sexual intercourse?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q54; 2017q54; 2015q54; 2013q57; 2011q55;

Category: Sexual Risk - Behaviors

Number and Percent of students who had sexual intercourse for the first time before age 13 years

School**1.8%**




27 of 1,439 students*

Region**2.4%**

151 of 6,208 students+

NH**2.3%**

1,185 of 52,412 students+

	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	54	4.2	-	-	2,719	4.5
2013	29	2.2	-	-	2,287	4.0
2015	50	3.4	251	3.6	1,552	2.8
2017	52	3.5	201	3.2	1,269	2.4
2019	27	1.8	151	2.4	1,185	2.3
Sex						
Female	8	1.1	61	2.0	399	1.6
Male	14	1.9	74	2.4	726	2.7
Grade						
9th	7	1.7	37	2.2	320	2.3
10th	6	1.5	34	2.0	271	2.0
11th	s	s	39	2.7	259	2.1
12th	s	s	9	0.7	252	2.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How old were you when you had sexual intercourse for the first time?

a: I have never had sexual intercourse; b: 11 years old or younger; c: 12 years old; d: 13 years old; e: 14 years old; f: 15 years old; g: 16 years old; h: 17 years old or older;

Numerator: bc; denominator: abcdefgh;

Question number: 2019q55; 2017q55; 2015q55; 2013q58; 2011q56;

Category: Sexual Risk - Behaviors

Number and Percent of students who had sexual intercourse with four or more persons during their life

School

5.2%

80 of 1,438 students*

Region




6.3%

388 of 6,185 students+

NH

7.2%

3,759 of 52,315 students+

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	97	7.6	-	-	7,504	12.4
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	86	5.8	568	9.0	4,536	8.6
2019	80	5.2	388	6.3	3,759	7.2

Sex

Female	31	4.1	148	5.0	1,711	6.8
Male	43	5.7	226	7.2	1,958	7.4

Grade

9th	12	2.8	57	3.5	358	2.6
10th	8	2.1	47	2.8	495	3.7
11th	19	5.3	125	8.5	1,113	8.9
12th	33	10.2	128	9.8	1,692	13.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During your life, with how many people have you had sexual intercourse?

a: I have never had sexual intercourse; b: 1 person; c: 2 people; d: 3 people; e: 4 people; f: 5 people; g: 6 or more people;

Numerator: efg; denominator: abcdefg;

Question number: 2019q56; 2017q56; 2015q999; 2013q999; 2011q57;

Category: Sexual Risk - Behaviors

Number and Percent of students who were currently sexually active (had sexual intercourse with at least one person) during the past 3 months

School

19.9%

304 of 1,439 students*

Region

25.8%




1,592 of 6,172 students+

NH

29.7%

15,500 of 52,191 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 3 months, with how many people did you have sexual intercourse?

a: I have never had sexual intercourse; b: I have had sexual intercourse, but not during the past 3 months; c: 1 person; d: 2 people; e: 3 people; f: 4 people; g: 5 people; h: 6 or more people;

Numerator: cdefgh; denominator: abcdefgh;

Question number: 2019q57; 2017q57; 2015q56; 2013q59; 2011q58;

Category: Sexual Risk - Behaviors

Number and Percent of students who drank alcohol or used drugs before last sexual intercourse
(among students who were currently sexually active)

School

2.8%

10 of 325 students*

Region

20.3%




323 of 1,586 students+

NH

19.6%

3,028 of 15,487 students+

■ School ● Region ▲ NH



How the question was actually asked: Did you drink alcohol or use drugs before you had sexual intercourse the last time?

a: I have never had sexual intercourse; b: Yes; c: No;

Numerator: b; denominator: bc;

Question number: 2019q58; 2017q58; 2015q57; 2013q60; 2011q59;

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	80	19.0	-	-	5,081	22.7
2013	72	20.3	-	-	4,140	20.7
2015	114	25.8	517	23.0	3,277	18.9
2017	94	23.2	410	21.6	2,927	18.7
2019	10	2.8	323	20.3	3,028	19.6

Sex

Female	s	s	167	19.8	1,373	17.6
Male	s	s	141	19.4	1,581	21.2

Grade

9th	s	s	44	18.4	356	19.7
10th	s	s	58	17.5	505	16.2
11th	0	0.0	73	16.1	892	20.1
12th	0	0.0	116	22.4	1,205	20.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Sexual Risk - Behaviors

Number and Percent of students who used a condom during last sexual intercourse (among students who were currently sexually active)

School

66.5%

261 of 369 students*

Region

56.6%




870 of 1,537 students+

NH

55.3%

8,450 of 15,284 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: The last time you had sexual intercourse, did you or your partner use a condom?

a: I have never had sexual intercourse; b: Yes; c: No;

Numerator: b; denominator: bc;

Question number: 2019q59; 2017q59; 2015q58; 2013q61; 2011q60;

Category: Sexual Risk - Behaviors

Number and Percent of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

School

31.0%

116 of 349 students*

Region

30.7%




464 of 1,512 students+

NH

33.2%

4,932 of 14,873 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

a: I have never had sexual intercourse; b: No method was used to prevent pregnancy; c: Birth control pills; d: Condoms; e: An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); f: A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing); g: Withdrawal or some other method; h: Not sure;

Numerator: c; denominator: bcdefgh;

Question number: 2019q60; 2017q60; 2015q59; 2013q62; 2011q61;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who purposely hurt themselves without wanting to die (one or more times) during the past 12 months

School

15.9%

243 of 1,505 students*

Region

17.8%




1,175 of 6,584 students+

NH

19.8%

10,818 of 54,541 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q29; 2017q28; 2015q25; 2013q24; 2011q999;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who ever felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities) during the past 12 months

School

28.2%

430 of 1,502 students*

Region

31.9%




2,093 of 6,564 students+

NH

33.6%

18,316 of 54,496 students+

■ School ● Region ▲ NH



How the question was actually asked: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q30; 2017q29; 2015q26; 2013q25; 2011q23;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year			NH			
	#	%	#	%	#	%
2011	280	21.9	-	-	15,692	25.2
2013	213	16.0	-	-	14,996	25.4
2015	311	21.2	2,141	29.4	15,578	27.2
2017	359	24.0	1,873	27.7	15,457	28.0
2019	430	28.2	2,093	31.9	18,316	33.6

Sex

Female	264	35.2	1,327	42.5	11,406	43.9
Male	156	20.6	736	21.9	6,641	23.8

Grade

09th	86	20.3	510	28.7	4,281	30.2
10th	121	30.4	563	33.1	4,765	34.5
11th	117	32.3	559	34.9	4,680	35.7
12th	96	29.3	409	29.9	4,319	33.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.




+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Suicide, Sadness and Helplessness

Number and Percent of students who ever seriously considered attempting suicide during the past 12 months

School16.0%
244 of 1,500 students***Region**17.1%
1,116 of 6,541 students+**NH**18.4%
9,872 of 53,524 students+

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, did you ever seriously consider attempting suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q31; 2017q30; 2015q27; 2013q26; 2011q24;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who made a plan about how they would attempt suicide during the past 12 months

School

12.2%

186 of 1,498 students*

Region

13.4%




876 of 6,560 students+

NH

13.3%

7,237 of 54,318 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, did you make a plan about how you would attempt suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q32; 2017q999; 2015q999; 2013q999; 2011q25;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who attempted suicide (one or more times) during the past 12 months

School**5.6%**




85 of 1,426 students*

Region**7.9%**

468 of 5,943 students+

NH**7.0%**

3,489 of 50,096 students+

How the question was actually asked: During the past 12 months, how many times did you actually attempt suicide?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q33; 2017q31; 2015q28; 2013q27; 2011q26;

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	46	3.6	-	-	3,632	6.1
2013	44	3.3	-	-	3,776	6.7
2015	83	5.6	503	7.6	3,655	6.8
2017	106	7.1	447	7.5	2,983	5.9
2019	85	5.6	468	7.9	3,489	7.0

Sex

Female	53	6.9	246	8.4	2,054	8.4
Male	28	3.7	206	6.9	1,333	5.3

Grade

9th	22	5.1	123	7.8	964	7.3
10th	25	6.3	139	8.9	923	7.3
11th	20	5.7	104	7.3	858	7.1
12th	11	3.4	77	6.0	648	5.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Suicide, Sadness and Helplessness

Number and Percent of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months

School

1.8%

28 of 1,421 students*

Region

2.6%




150 of 5,895 students+

NH

2.0%

977 of 49,067 students+

■ School ● Region ▲ NH



How the question was actually asked: If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

a: I did not attempt suicide during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: abc;

Question number: 2019q34; 2017q32; 2015q29; 2013q28; 2011q27;

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	19	1.5	-	-	1,416	2.4
2013	8	0.6	-	-	1,408	2.5
2015	25	1.7	179	2.7	1,336	2.5
2017	51	3.4	207	3.5	991	2.0
2019	28	1.8	150	2.6	977	2.0

Sex

Female	16	2.1	60	2.1	604	2.5
Male	10	1.3	81	2.8	328	1.3

Grade

09th	6	1.4	39	2.5	253	2.0
10th	6	1.5	47	3.0	244	2.0
11th	s	s	27	1.9	228	1.9
12th	6	1.9	17	1.3	192	1.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed.

Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Tobacco Use - Behaviors

Number and Percent of students who currently smoked cigarettes (on at least 1 day) during the past 30 days

School

3.2%

49 of 1,498 students*

Region

4.0%




260 of 6,560 students+

NH

5.5%

3,001 of 54,424 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you smoke cigarettes?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 2019q35; 2017q34; 2015q31; 2013q30; 2011q30;

Category: Tobacco Use - Behaviors

Number and Percent of students who smoked more than 10 cigarettes per day (among students who currently smoked cigarettes) during the past 30 days

School

25.6%

13 of 48 students*

Region

24.8%




64 of 260 students+

NH

16.1%

482 of 2,987 students+

■ School ● Region ▲ NH

**School*****Region****NH**

#

%

#

%

#

%

Year

	School*	Region	NH				
Year	#	%	#	%	#	%	
2011	-	-	-	-	-	-	-
2013	9	8.0	-	-	1,088	13.7	
2015	27	30.3	137	20.4	739	14.2	
2017	48	43.2	108	23.4	503	11.8	
2019	13	25.6	64	24.8	482	16.1	

Sex

Female	7	35.3	21	21.5	102	9.6
Male	s	s	28	19.1	331	18.1

Grade

9th	s	s	18	31.9	82	16.2
10th	s	s	0	0.0	99	19.2
11th	s	s	15	23.3	111	14.9
12th	s	s	5	6.5	116	10.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

a: I did not smoke cigarettes during the past 30 days; b: Less than 1 cigarette per day; c: 1 cigarette per day; d: 2 to 5 cigarettes per day; e: 6 to 10 cigarettes per day; f: 11 to 20 cigarettes per day; g: More than 20 cigarettes per day;

Numerator: fg; denominator: bcdefg;

Question number: 2019q36; 2017q35; 2015q32; 2013q31; 2011q999;

Category: Tobacco Use - Behaviors

Number and Percent of students who ever used an electronic vapor product

School

37.8%

576 of 1,495 students*

Region

43.2%

2,814 of 6,510 students+

NH




49.8%

27,093 of 54,365 students+

School

Region

NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Have you ever used an electronic vapor product?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q37; 2017q36; 2015q999; 2013q999; 2011q999;

Category: Tobacco Use - Behaviors

Number and Percent of students who currently used an electronic vapor product (on at least 1 day) during the past 30 days

School

25.0%

381 of 1,464 students*

Region

28.8%




1,839 of 6,376 students+

NH

33.8%

17,928 of 53,009 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you use an electronic vapor product?

a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 2019q38; 2017q37; 2015q37; 2013q999; 2011q999;

Category: Tobacco Use - Behaviors

Number and Percent of students who usually got their own electronic vapor products by buying them in a store (among students who currently used electronic vapor products and who were aged less than 18 years) during the past 30 days

School

13.6%

42 of 298 students*

Region




15.6%

237 of 1,513 students+

NH

10.6%

1,529 of 14,361 students+


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero are not suppressed.

How the question was actually asked: During the past 30 days, how did you usually get your own electronic vapor products?
(Select only one response.)

a: I did not use any electronic vapor products during the past 30 days; b: I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store; c: I got them on the Internet; d: I gave someone else money to buy them for me; e: I borrowed them from someone else; f: A person who can legally buy these products gave them to me; g: I took them from a store or another person; h: I got them some other way.;

Numerator: b; denominator: bcdefgh;

Question number: 2019q39; 2017q38; 2015q999; 2013q999; 2011q999;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle) during the past 12 months

School

34.2%

379 of 1,103 students*

Region

56.0%




2,357 of 4,209 students+

NH

54.4%

19,121 of 35,165 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: When you rode a bicycle during the past 12 months, how often did you wear a helmet?

a: I did not ride a bicycle during the past 12 months; b: Never wore a helmet; c: Rarely wore a helmet; d: Sometimes wore a helmet; e: Most of the time wore a helmet; f: Always wore a helmet;

Numerator: bc; denominator: bcdef;

Question number: 2019q9; 2017q9; 2015q9; 2013q9; 2011q9;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rarely or never wore a seat belt (when riding in a car driven by someone else)

School

3.7%

57 of 1,517 students*

Region

7.0%




462 of 6,637 students+

NH

5.6%

3,043 of 54,073 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How often do you wear a seat belt when riding in a car driven by someone else?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: ab; denominator: abcde;

Question number: 2019q10; 2017q11; 2015q11; 2013q11; 2011q10;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rarely or never wear a seat belt when driving (among students who drive a car)

School

3.4%

36 of 1,051 students*

Region

6.1%




261 of 4,264 students+

NH

4.8%

1,756 of 36,362 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: How often do you wear a seat belt when driving a car?

a: I do not drive a car; b: Never; c: Rarely; d: Sometimes; e: Most of the time; f: Always;

Numerator: bc; denominator: bcdef;

Question number: 2019q11; 2017q10; 2015q10; 2013q10; 2011q999;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times) during the past 30 days

School

13.9%

212 of 1,516 students*

Region

16.1%




1,063 of 6,620 students+

NH

14.9%

8,120 of 54,645 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q12; 2017q12; 2015q12; 2013q12; 2011q11;

Category: Vehicle and Bicycle Safety

Number and Percent of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the past 30 days, among students who had driven a car or other vehicle) during the past 30 days

School

44.2%

449 of 966 students*

Region




41.9%

1,595 of 3,811 students+

NH

44.2%

15,012 of 33,935 students+



How the question was actually asked: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 days; c: 1 or 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 to 29 days; h: All 30 days;

Numerator: cdefgh; denominator: bcdefgh;

Question number: 2019q14; 2017q14; 2015q14; 2013q14; 2011q999;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who were trying to lose weight

School

38.4%

586 of 1,488 students*

Region




41.8%

2,700 of 6,457 students+

NH

43.9%

23,739 of 54,053 students+


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Which of the following are you trying to do about your weight?

a: Lose weight; b: Gain weight; c: Stay the same weight; d: I am not trying to do anything about my weight;

Numerator: a; denominator: abcd;

Question number: 2019q63; 2017q999; 2015q60; 2013q65; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight (also called fasting) during the past 30 days

School

11.1%

169 of 1,499 students*

Region




13.2%

855 of 6,477 students+

NH

14.6%

7,794 of 53,356 students+

	School*		Region		NH	
	#	%	#	%	#	%

Year

2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	169	11.1	855	13.2	7,794	14.6

Sex

Female	116	15.3	581	18.6	5,406	21.2
Male	49	6.5	256	7.8	2,244	8.2

Grade

9th	47	11.1	253	14.5	2,116	15.2
10th	41	10.3	198	11.6	1,910	14.1
11th	37	10.2	213	13.6	1,893	14.8
12th	41	12.6	155	11.4	1,692	13.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q64; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who took some diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

School

3.5%

53 of 1,496 students*

Region

3.4%




218 of 6,434 students+

NH

3.7%

1,974 of 53,290 students+

■ School ■ Region ■ NH



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	53	3.5	218	3.4	1,974	3.7
Sex						
Female	28	3.6	134	4.3	1,172	4.6
Male	23	3.0	78	2.4	728	2.7
Grade						
9th	8	1.9	36	2.1	395	2.8
10th	17	4.3	57	3.4	439	3.3
11th	7	1.9	41	2.6	475	3.7
12th	17	5.2	58	4.3	557	4.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q65; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

School

4.3%

66 of 1,492 students*

Region

4.1%




268 of 6,475 students+

NH

4.8%

2,585 of 53,338 students+

■ School ■ Region ■ NH



How the question was actually asked: During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q66; 2017q999; 2015q999; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*	Region	NH			
2011	-	-	-			
2013	-	-	-			
2015	-	-	-			
2017	-	-	-			
2019	66	4.3	268	4.1	2,585	4.8

Sex

Sex	School*	Region	NH			
Female	45	6.0	192	6.2	1,949	7.6
Male	18	2.4	66	2.0	584	2.1

Grade

Grade	School*	Region	NH			
9th	13	3.0	36	2.0	558	4.0
10th	15	3.8	53	3.1	576	4.3
11th	9	2.5	89	5.7	702	5.5
12th	25	7.7	65	4.8	656	5.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop) during the past 7 days

School

47.8%

730 of 1,491 students*

Region

40.3%




2,600 of 6,452 students+

NH

37.4%

19,973 of 53,384 students+

■ School ● Region ▲ NH



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

a: I did not drink soda or pop during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 2019q67; 2017q67; 2015q62; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not drink a bottle or glass of plain water during the past 7 days

School

1.9%

29 of 1,498 students*

Region




2.7%

178 of 6,470 students+

NH

2.6%

1,385 of 54,255 students+


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a bottle or glass of plain water? (Count tap, bottled, and unflavored sparkling water.)

a: I did not drink water during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 2019q68; 2017q68; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as sports drinks, energy drinks, lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting soda or pop, one or more times per day) during the past 7 days

School




14.5%
221 of 1,493 students*

Region

16.9%
1,086 of 6,431 students+

NH

18.0%
9,638 of 53,461 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	250	19.6	-	-	14,238	22.9
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	224	15.0	1,277	19.3	10,128	18.6
2019	221	14.5	1,086	16.9	9,638	18.0
Sex						
Female	85	11.3	414	13.3	3,811	14.9
Male	131	17.4	642	19.7	5,693	20.9
Grade						
09th	47	11.1	265	15.3	2,375	17.1
10th	59	14.8	278	16.6	2,345	17.3
11th	57	15.8	278	18.0	2,392	18.7
12th	51	15.3	229	16.7	2,358	18.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as sports drinks (for example, Gatorade or PowerAde), energy drinks (for example, Red Bull or Jolt), lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? (Do not count soda or pop.)

a: I did not drink these sugarsweetened beverages during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: defg; denominator: abcdefg;

Question number: 2019q69; 2017q66; 2015q999; 2013q999; 2011q69;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not eat breakfast during the past 7 days

School**7.2%**




109 of 1,493 students*

Region**13.4%**

864 of 6,475 students+

NH**14.1%**

7,615 of 54,157 students+

 School Region NH**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 7 days, on how many days did you eat breakfast?

a: 0 days; b: 1 day; c: 2 days; d: 3 days; e: 4 days; f: 5 days; g: 6 days; h: 7 days;

Numerator: A; denominator: ABCDEFGH;

Question number: 2019q70; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who were physically active at least 60 minutes per day on 5 or more days during the past 7 days

School

43.9%

670 of 1,487 students*

Region

44.6%




2,859 of 6,416 students+

NH

47.1%

25,420 of 53,944 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

a: 0 days; b: 1 day; c: 2 days; d: 3 days; e: 4 days; f: 5 days; g: 6 days; h: 7 days;

Numerator: fgh; denominator: abcdefgh;

Question number: 2019q71; 2017q69; 2015q63; 2013q69; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)

School

8.8%

134 of 1,498 students*

Region

11.3%




732 of 6,486 students+

NH

11.1%

5,961 of 53,466 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Do any of your classroom teachers provide short physical activity breaks during regular class time? (Do not count your physical education teacher.)

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q72; 2017q70; 2015q999; 2013q999; 2011q999;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who played video or computer games or used a computer 3 or more hours per day on an average school day

School

45.5%

694 of 1,498 students*

Region

49.8%




3,203 of 6,438 students+s

NH

49.2%

26,594 of 54,079 students+s

■ School ● Region ▲ NH



How the question was actually asked: On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent playing games, watching videos, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet.)

a: I do not play video or computer games or use a computer for something that is not school work; b: Less than 1 hour per day; c: 1 hour per day; d: 2 hours per day; e: 3 hours per day; f: 4 hours per day; g: 5 or more hours per day;

Numerator: efg; denominator: abcdefg;

Question number: 2019q73; 2017q72; 2015q65; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*	Region	NH
2011	-	-	-
2013	-	-	-
2015	445 30.3	3,140 43.3	21,868 38.9
2017	532 35.6	3,105 46.8	25,757 47.8
2019	694 45.5	3,203 49.8	26,594 49.2

Sex

Female	335 44.4	1,543 49.7	12,363 47.8
Male	349 46.3	1,618 49.6	13,862 50.2

Grade

09th	173 41.0	905 51.9	7,313 51.8
10th	188 47.3	841 49.8	6,813 49.7
11th	159 44.0	724 47.0	6,080 47.0
12th	164 49.8	671 49.2	6,052 47.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who carried a weapon (such as a gun, knife, or club, on at least 1 day) during the past 30 days

School

9.2%

140 of 1,509 students*

Region

11.5%




755 of 6,551 students+

NH

14.4%

7,760 of 53,823 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 2019q15; 2017q15; 2015q999; 2013q999; 2011q13;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day) during the past 30 days

School

1.7%
26 of 1,511 students*




Region

2.6%
172 of 6,563 students+

NH

2.8%
1,543 of 54,614 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 2019q16; 2017q16; 2015q999; 2013q999; 2011q999;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day) during the past 30 days

School

26.1%

398 of 1,519 students*

Region

14.1%




936 of 6,643 students+

NH

6.9%

3,758 of 54,807 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

a: 0 days; b: 1 day; c: 2 or 3 days; d: 4 or 5 days; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 2019q17; 2017q17; 2015q15; 2013q15; 2011q14;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times) during the past 12 months

School

11.0%

168 of 1,519 students*

Region

9.0%




597 of 6,633 students+

NH

6.4%

3,516 of 54,747 students+

■ School ● Region ▲ NH



How the question was actually asked: During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;

Question number: 2019q18; 2017q18; 2015q999; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	131	8.8	559	8.3	3,704	6.7
2019	168	11.0	597	9.0	3,516	6.4

Sex

Female	89	12.0	272	8.6	1,444	5.5
Male	75	9.8	313	9.2	1,964	7.0

Grade

09th	44	10.4	210	11.9	1,159	8.1
10th	45	11.3	177	10.0	946	6.8
11th	32	8.8	125	7.8	762	5.8
12th	41	12.5	65	4.8	510	4.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were in a physical fight on school property (one or more times) during the past 12 months

School

6.9%

105 of 1,516 students*

Region

8.6%




566 of 6,601 students+

NH

7.9%

4,262 of 53,996 students+

■ School ● Region ▲ NH



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	113	8.8	-	-	6,134	9.9
2013	86	6.5	-	-	4,080	6.9
2015	108	7.3	581	8.0	3,671	6.4
2017	-	-	-	-	-	-
2019	105	6.9	566	8.6	4,262	7.9
Sex						
Female	29	3.9	139	4.4	1,061	4.1
Male	74	9.7	419	12.4	3,086	11.2
Grade						
9th	24	5.6	183	10.3	1,530	10.9
10th	38	9.6	154	8.9	1,155	8.4
11th	20	5.7	134	8.3	833	6.4
12th	17	5.2	64	4.7	578	4.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how many times were you in a physical fight on school property?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or 7 times; f: 8 or 9 times; g: 10 or 11 times; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;

Question number: 2019q19; 2017q999; 2015q17; 2013q17; 2011q17;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were ever bullied on school property during the past 12 months

School**18.7%**




285 of 1,506 students*

Region**20.4%**

1,342 of 6,581 students+

NH**23.0%**

12,351 of 53,726 students+

	School*	Region	NH			
	#	%	#	%	#	%

Year

	School*	Region	NH			
#	%	#	%	#	%	
2011	247	19.3	-	-	15,856	25.3
2013	224	16.9	-	-	13,401	22.8
2015	272	18.6	1,378	18.9	12,489	22.1
2017	332	22.2	1,418	21.1	11,581	21.4
2019	285	18.7	1,342	20.4	12,351	23.0

Sex

Female	168	22.3	765	24.4	7,088	27.6
Male	111	14.6	561	16.7	5,094	18.5

Grade

09th	79	18.6	355	20.1	3,716	26.6
10th	81	20.2	456	26.4	3,452	25.3
11th	63	17.5	293	18.3	2,753	21.3
12th	55	16.7	196	14.2	2,206	17.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, have you ever been bullied on school property?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q27; 2017q26; 2015q23; 2013q22; 2011q21;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were ever electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media) during the past 12 months

School

18.6%

284 of 1,506 students*

Region




19.4%

1,281 of 6,592 students+

NH

20.1%

10,932 of 54,516 students+


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q28; 2017q27; 2015q999; 2013q999; 2011q999;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who had a concussion from playing a sport or being physically active (one or more times) during the past 12 months

School

9.9%

151 of 1,501 students*

Region

13.9%




903 of 6,483 students+

NH

14.7%

8,002 of 54,265 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

a: 0 times; b: 1 time; c: 2 times; d: 3 times; e: 4 or more times;

Numerator: bcde; denominator: abcde;

Question number: 2019q74; 2017q73; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who described their grades in school as mostly A's or B's during the past 12 months

School

88.0%

1,342 of 1,455 students*

Region

75.1%




4,644 of 6,187 students+s

NH

77.0%

40,255 of 52,295 students+s

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, how would you describe your grades in school?

a: Mostly A's; b: Mostly B's; c: Mostly C's; d: Mostly D's; e: Mostly F's; f: None of these grades; g: Not sure;

Numerator: ab; denominator: abcdefg;

Question number: 2019q8; 2017q8; 2015q8; 2013q8; 2011q8;

Category: Other Health Risks

Number and Percent of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)

School

6.0%

92 of 1,499 students*

Region

8.3%




540 of 6,480 students+

NH

8.3%

4,495 of 54,204 students+

■ School ● Region ▲ NH



How the question was actually asked: Have you ever been tested for HIV, the virus that causes AIDS? (Do not count tests done if you donated blood.)

a: Yes; b: No; c: Not sure;

Numerator: A; denominator: ABC;

Question number: 2019q75; 2017q999; 2015q999; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*	Region	NH	School*	Region	NH		
#	%	#	%	#	%	#	%	
2011	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-	-	
2017	-	-	-	-	-	-	-	
2019	92	6.0	540	8.3	4,495	8.3	54,204	8.3

Sex

Sex	School*	Region	NH	School*	Region	NH		
#	%	#	%	#	%	#	%	
Female	44	5.8	236	7.6	2,330	9.0	25,667	9.0
Male	45	5.9	278	8.5	2,093	7.6	24,033	7.6

Grade

Grade	School*	Region	NH	School*	Region	NH		
#	%	#	%	#	%	#	%	
9th	21	4.9	117	6.6	717	5.1	7,587	5.1
10th	17	4.3	88	5.2	790	5.8	6,910	5.8
11th	23	6.4	199	12.8	1,141	8.8	10,343	8.8
12th	24	7.3	107	7.8	1,725	13.6	14,275	13.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Other Health Risks

Number and Percent of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea during the past 12 months

School

6.8%

104 of 1,497 students*

Region

8.6%




550 of 6,413 students+

NH

9.2%

4,988 of 53,980 students+

■ School ■ Region ■ NH



How the question was actually asked: During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?

a: Yes; b: No; c: Not sure;

Numerator: A; denominator: ABC;

Question number: 2019q76; 2017q999; 2015q999; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*	Region	NH			
2011	-	-	-			
2013	-	-	-			
2015	-	-	-			
2017	-	-	-			
2019	104	6.8	550	8.6	4,988	9.2

Sex

Sex	School*	Region	NH			
Female	55	7.3	303	9.8	3,206	12.4
Male	47	6.2	225	6.9	1,720	6.2

Grade

Grade	School*	Region	NH			
9th	13	3.0	99	5.8	576	4.1
10th	16	4.0	55	3.3	767	5.6
11th	25	7.0	199	12.9	1,436	11.1
12th	46	14.0	175	12.8	2,104	16.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Other Health Risks

Number and Percent of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) during the past 12 months

School

90.0%

1,372 of 1,496 students*

Region




82.6%

5,302 of 6,420 students+s

NH

83.6%

44,550 of 53,316 students+s

How the question was actually asked: When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure;
Numerator: a; denominator: abcde;

Question number: 2019q77; 2017q75; 2015q68; 2013q999; 2011q75;

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Other Health Risks

Number and Percent of students who saw a doctor or nurse (for a check-up or physical exam when they were not sick or injured) during the past 12 months

School

85.4%

1,302 of 1,496 students*

Region




82.9%

5,323 of 6,420 students+s

NH

80.7%

43,001 of 53,258 students+s


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?

a: During the past 12 months; b: Between 12 and 24 months ago; c: More than 24 months ago; d: Never; e: Not sure;

Numerator: a; denominator: abcde;

Question number: 2019q78; 2017q74; 2015q69; 2013q999; 2011q74;

Category: Other Health Risks

Number and Percent of students who had ever been told by a doctor or nurse that they had asthma

School**21.5%**




329 of 1,499 students*

Region**22.1%**

1,419 of 6,425 students+

NH**22.6%**

12,058 of 53,284 students+


**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Has a doctor or nurse ever told you that you have asthma?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q79; 2017q999; 2015q70; 2013q72; 2011q72;

Category: Other Health Risks

Number and Percent of students who got 8 or more hours of sleep on an average school night

School

25.0%

382 of 1,489 students*

Region

25.9%

1,653 of 6,374 students+

NH




23.9%

12,662 of 52,932 students+

School

Region

NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: On an average school night, how many hours of sleep do you get?

a: 4 or less hours; b: 5 hours; c: 6 hours; d: 7 hours; e: 8 hours; f: 9 hours; g: 10 or more hours;

Numerator: efg; denominator: abcdefg;

Question number: 2019q80; 2017q76; 2015q71; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who strongly agree or agree that their parents or other adults in their family have clear rules and consequences for their behavior

School

80.9%

1,233 of 1,489 students*

Region

78.0%




4,977 of 6,378 students+s

NH

76.4%

40,489 of 53,030 students+s

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Do you agree or disagree that your parents or other adults in your family have clear rules and consequences for your behavior?

a: Strongly agree; b: Agree; c: Not sure; d: Disagree; e: Strongly disagree;

Numerator: ab; denominator: abcde;

Question number: 2019q81; 2017q999; 2015q74; 2013q76; 2011q77;

Category: Other Health Risks

Number and Percent of students who reported that parents or other adults in their family never or rarely talk with them about what they are doing in school

School

10.2%

156 of 1,483 students*

Region

16.2%




1,035 of 6,373 students+s

NH

15.5%

8,243 of 53,022 students+s

■ School ● Region ▲ NH



How the question was actually asked: How often do your parents or other adults in your family talk with you about what you are doing in school?

a: Never; b: Rarely; c: Sometimes; d: Most of the time; e: Always;

Numerator: ab; denominator: abcde;

Question number: 2019q82; 2017q999; 2015q999; 2013q999; 2011q999;

	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*	Region	NH			
2011	-	-	-			
2013	-	-	-			
2015	-	-	-			
2017	-	-	-			
2019	156	10.2	1,035	16.2	8,243	15.5

Sex

Female	75	10.0	555	18.0	3,916	15.4
Male	76	10.0	460	14.3	4,182	15.5

Grade

09th	46	11.0	263	15.4	2,047	14.8
10th	32	8.1	210	12.5	1,716	12.8
11th	38	10.6	271	17.8	2,036	16.0
12th	35	10.6	260	19.0	2,293	18.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

Category: Other Health Risks

Number and Percent of students who did not usually sleep in their parent's or guardian's home during the past 30 days

School

2.3%

36 of 1,486 students*

Region

3.6%




229 of 6,376 students+

NH

2.7%

1,448 of 52,968 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, where did you usually sleep?

a: In my parent's or guardian's home; b: In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing; c: In a shelter or emergency housing; d: In a motel or hotel; e: In a car, park, campground, or other public place; f: I do not have a usual place to sleep; g: Somewhere else;

Numerator: BCDEFG; denominator: ABCDEFG;

Question number: 2019q83; 2017q82; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned during the past 30 days

School

2.4%

37 of 1,487 students*

Region

5.2%




334 of 6,408 students+

NH

4.2%

2,230 of 53,736 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q84; 2017q83; 2015q999; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who reported that either of their parents or other adults in their family had been in jail or in prison (during the past 12 months)

School

3.6%

55 of 1,484 students*

Region

6.9%




441 of 6,400 students+

NH

6.7%

3,560 of 53,006 students+

■ School ● Region ▲ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: During the past 12 months, have either of your parents or other adults in your family been in jail or in prison?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q85; 2017q77; 2015q73; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who have ever lived with someone who had a problem with alcohol or drugs

School

19.5%

297 of 1,487 students*

Region

28.9%




1,850 of 6,403 students+s

NH

30.7%

16,289 of 52,990 students+s

■ School ● Region ▲ NH



	School*		Region		NH	
	#	%	#	%	#	%

Year

Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	306	20.9	2,087	29.0	17,229	30.7
2017	-	-	-	-	-	-
2019	297	19.5	1,850	28.9	16,289	30.7

Sex

Female	165	21.9	970	31.4	8,508	33.5
Male	130	17.2	868	26.8	7,571	28.0

Grade

09th	75	17.9	504	29.2	4,193	30.5
10th	81	20.1	532	31.8	4,127	30.7
11th	76	21.2	417	27.2	3,940	31.0
12th	60	18.2	367	26.8	3,805	30.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Have you ever lived with anyone who had a problem with alcohol or drugs?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q86; 2017q999; 2015q76; 2013q999; 2011q999;

Category: Other Health Risks

Number and Percent of students who ever saw or heard adults in their home slap, hit, kick, punch, or hurt each other

School

12.0%

183 of 1,486 students*

Region

17.8%




1,139 of 6,382 students+

NH

17.0%

8,977 of 52,861 students+

■ School ■ Region ■ NH

**Notes**

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not suppressed.

How the question was actually asked: Have you ever seen or heard adults in your home slap, hit, kick, punch, or hurt each other?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q87; 2017q999; 2015q22; 2013q999; 2011q999;